### PATENT COOPERATION TREATY

# PCT.

REC'D	2 0 FEB 2006
WIPO	PC

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	EOD EUDTURD ACTION	G P DCP/DDP A /41.6						
E29 P151PCT	FOR FURTHER ACTION	See Form PCT/IPEA/416						
International application No.	International filing date (day/mo	nth/year) Priority date (day/month/year)						
PCT/SE2004/001248	31-08-2004	16-10-2003						
International Patent Classification (IPC) o	r national classification and IPC							
See Supplemental Box								
	r .							
Applicant	<del></del>							
1 ***	Telefonaktiebolaget LM Ericsson (publ) ET AL							
<ol> <li>This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.</li> </ol>								
2. This REPORT consists of a total of	of 4 sheets, includ	ing this cover sheet.						
3. This report is also accompanied by ANNEXES, comprising:								
a. (sent to the applicant	a. (sent to the applicant and to the International Bureau) a total of 7 sheets, as follows:							
sheets of the description, claims and/or drawings which have been amended and are the basis of this report								
	containing rectifications authorized instructions).	ed by this Authority (see Rule 70.16 and Section 607 of the						
sheets which	supersede earlier sheets, but which	h this Authority considers contain an amendment that goes						
beyond the di Supplemental	sclosure in the international appli-	cation as filed, as indicated in item 4 of Box No. I and the						
b. (sent to the Internation	anal Rureau anhi) a total of (indic	ate type and number of electronic carrier(s))						
	•	uence listing and/or tables related thereto, in electronic						
form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).								
4. This report contains indications re	elating to the following items:							
<u></u>	f the report							
Box No. II Priority		•						
Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial								
Box No. IV Lack of unity of invention								
	ed statement under Article 35(2) with regard to novelty, inventive step or industrial bility; citations and explanations supporting such statement							
	documents cited							
Box No. VII Certain	defects in the international application							
Box No. VIII Certain	n observations on the international application							
Date of submission of the demand		f completion of this report						
11 0- 00-								
11-05-2005		07-02-2006						
Name and mailing address of the IPEA/SE Patent - och registreringsverket		ized officer						
Box 5055 S-102 42 STOCKHOLM	-	11 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7						
Facsimile No. +46 8 667 72 88		Lisbeth Andersson / ITW Telephone No. +46 8 782 25 00						

Form PCT/IPEA/409 (cover sheet) (April 2005)

### . INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/PCT/SE2004/001248

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.

Continuation of: Cover sheet

INTERNATIONAL PATENT CLASSIFICATION (IPC):

H04L 12/28 (2006.01)

Form PCT/IPEA/409 (Supplemental Box) (April 2005)

## ; INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001248

Box No.	. I Basis of the report	
1. With	th regard to the language, this report is based on:	
	the international application in the language in which it was filed	
	a translation of the international application into	
1	which is the language of a translation furnished for the purposes of:	· · · · · · · · · · · · · · · · · · ·
	international search (Rules 12.3(a) and 23.1(b))	
	publication of the international application (Rule 12.4(a))	
	international preliminary examination (Rules 55.2(a) and/or 55.3(a))	
2. With furni.	h regard to the elements of the international application, this report is based on (replantation) is the receiving Office in response to an invitation under Article 14 are referred to it are not annexed to this report):	acement sheets which have been n this report as "originally filed
	the international application as originally filed/furnished	
$\boxtimes$	the description:	
	pages 1-41	as originally filed/furnished
	pages* received by this Authority on	
<b>5</b> 3	received by this Authority on	
	the claims;	
	pages	as originally filed/furnished
	pages* as amended (together with	any statement) under Article 19
(	1 actived by this Authority on 22	-11-2005
$\boxtimes$	pages* received by this Authority on the drawings:	
	pages <u>1-14</u>	
	pages* received by this Authority on	as originally filed/furnished
	pages* received by this Authority on	
	a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence	e Listing
3.	The amendments have resulted in the cancellation of:	
	the description, pages the claims, Nos.	<del></del>
	the drawings, sheets/figs	
	the sequence listing (specify):	<del></del>
F	any table(s) related to the sequence listing (specify):	
4.	This report has been established as if (some of) the amendments annexed to this report made, since they have been considered to go beyond the disclosure as filed, as indicated 70.2(c)).	and listed below had not been in the Supplemental Box (Rule
	the description, pages	
	the claims, Nos.	<del></del>
	the drawings, sheets/figs	·
	the sequence listing (specify):	
	any table(s) related to the sequence listing (specify):	
If itom A		
	4 applies, some or all of those sheets may be marked "superseded."	

#### . INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2004/001248

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Claims Claims	1-26	·	YES NO
Inventive step (IS)	Claims Claims	1-26		YES NO
Industrial applicability (IA)	Claims Claims	1-26		YES NO

### 2. Citations and explanations (Rule 70.7)

This report is based on the amended claims 1-26 received by this authority on 22-11-2005.

Documents cited in the International Search Report:

D1: WO 02063900 A1

D2:SALKINTZIS, A K: Interworking between WLANs and third-generation cellular data networks. 57th IEEE Semiannual Vehicular Techn Conf. VTC 2003, Jeju, South Korea, 22-25 April 2003. Conf Art, Pub! 2003, Piscataway, NJ.USA, pages 1802-1806, vol 3. AN 7921906, ISBN 0-7803-7757-5.

D3:VARMA, V K et al: Mobility management in integrated UMTS/WLAN networks. 2003 IEEE Int Conf on Communications, Anchorage, AK, USA, 11-15 May 2003. Publ 2003, Piscataway, NJ, USA. Conf Art, pages 1048-1053, vol 2. AN 7905811, ISBN 0-7803-7802-4.

D4: EP 1207708 A1 D5: WO 0041375 A1

The cited documents represent the general state of the art. The invention defined in claims 1-26 is not disclosed by any of these documents. The cited prior art does not give any indication that would lead a person skilled in the art to the claimed arrangement and method for providing user stations with access to service providing networks. Therefore, the claimed invention is not obvious to a person skilled in the art.

Accordingly, the invention defined in claims 1-26 is novel and is considered to involve an inventive step. The invention is industrially applicable.

2 2 -11- 2005

1

E29 P151PCT AB/ej 2005-11-21

#### CLAIMS

5

An arrangement for providing a user station with access to
 (a) service providing network(s) over a wireless radio access network,

characterized in

- that it comprises a radio access network control node (RANCN; 3) 10 acting as a gateway node between access stations (AP; HBS; 2A,2B;4) and the service providing network(s), and in that it comprises connection processing means for adapting network transport protocols, converting/mapping service network access bearers into transport protocol packets 15 of the wireless radio access network, such that the user station (1A,1B;1) can access the service providing network services over the radio interface of the wireless radio access network, that the radio access network support node (RANCN; 3) reuses a set of service network transport protocols for communication over the 20 radio access network, the reused protocols being tunneled using the Internet Protocol (IP) through an access station (AP; HBS; 2A,2B;4) connected to the radio access network control node (RANCN; 3), said set of service network transport protocols being the 3GPP RRC and RLC/MAC protocols modified to provide 25 access to the service providing network comprising a 3G, e.g. UMTS, GPRS, WCDMA, core network via an Iu-interface.
  - 2. An arrangement according to claim 1,
- 30 characterized in that the reused protocol stacks are reused transparently over the radio access network air interface.

2

3. An arrangement at least according to claim 1,

characterized in

that it supports multiple access bearer connections of different bit rates, types, bandwidth and/or QoS.

5

4. An arrangement according to claim 3,

characterized in

that it is capable of establishing one or more access bearers simultaneously wherein the access bearers are configured for

- 10 different types of media services.
  - 5. An arrangement according to claim 4,

characterized in

that the access bearer(s) carry(ies) connections for a plurality of services of its associated type(s).

- An arrangement at least according to claim 1,
- characterized in

that the various services provided over access bearers comprise circuit switched as well as packet switched bearers.

7. An arrangement according to any one of the preceding claims,

characterized in

- 25 that the service providing network is a 3G network, a BRAS IP services provider network, a video on demand network or a live TV network.
  - 8. An arrangement according to claim 7,
- 30 characterized in that the service providing network is a UMTS/WCDMA or CDMA 2000.

2 2 -1 1- 2005

3

9. An arrangement according to any one of the preceding claims,

characterized in

that the over IP reused protocols are W-CDMA L3 RRC, L2 RLC/MAC.

5

10. An arrangement according to any one of the preceding claims,

characterized in

that with the adapted reused protocols multiple access bearers 10 are set up simultaneously.

11. An arrangement according to any one of the preceding claims,

characterized in

- that it dynamically establishes a number of access bearers to a user station (1A,1B) connected to the arrangement (RANCN).
  - 12. An arrangement according to any one of the preceding claims,
- characterized in that it provides a user station comprising a user equipment comprising a PC, Laptop, telephone etc. with access to UMTS/CDMA/BRAS/Video on demand/Live TV services over Bluetooth, the access station comprising a Home Base Station (HBS).

25

- 13. An arrangement according to any one of claims 1-11, c h a r a c t e r i z e d i n that it provides a user station with the possibility to access UMTS/CDMA/BRAS/Video on demand/Live TV service over the IEEE
- 30 802.16a/e, e.g. is a WiMAX or a network using OFDM based radio technology, or a WLAN.
  - 14. An arrangement according to claim 12 or 13,

4

characterized in

5

that it controls set-up and release of access bearers by reuse of the RLC/MAC and RRC protocols run over UDP/IP over radio interfaces, e.g. meeting IEEE 802.X requirements, such as Bluetooth, WiMAX, WLAN, between the access station and the user station, and over any transport protocol between RANCN and the access station, e.g. a Bluetooth HBS or a WLAN AP.

15. An arrangement according to any one of the preceding 10 claims,

characterized in

that it comprises a gateway node between access stations (AP:s, HBS:s) of the wireless radio access network, e.g. Bluetooth, WiMAX, WLAN and the Iu-interface of UMTS, an access station (AP,

- HBS) (2A,2B;4) relaying RRC, RLC/MAC over any transport protocol used between the access station (2A,2B;4) and the (RANCN; 3).
  - 16. An arrangement according to claim 12, characterized in
- that UDP/IP and the Bluetooth or WLAN radio interface is used for RRC/RLC/MAC between service network and RANCN (3), and RANCN (3) and user station (1A,1B) respectively.
  - 17. An arrangement according to any one of claims 1-16,
- 25 characterized in that storing means are provided in a radio access control node (RANCN 3) for collecting, holding and identity related information of user stations, and in that for currently being stations in an area ora 30 fulfilling some given criteria, or e.g. being in a similar environment as far as service offering or tariff setting is concerned, information thereon is distributed to such mobile user stations having indicated that they want information about

The Swedish Patent Office PCT International Application

each other and that they allow information to be distributed to one another.

- 18. An arrangement according to claim 17,
- 5 characterized in that several RANCN:s exchange identity related information about user stations currently in areas or locations in which certain criteria are met, e.g. in areas or locations with similar properties, e.g. as far as charging is concerned.

19. A method for providing a user station with access to services of a service providing network over a wireless radio access network,

characterized in

15 that it comprises the steps of:

10

30

- establishing a connection between the user station and an access station over the wireless radio access network;
- initiating/establishing an IP session between the user station and a radio access network control node (RANCN);
- 20 adapting control and plane user transport comprising the 3GPP L2 RLC/MAC and L3 RRC protocols, of the service providing network to transport protocols of the wireless radio access network to provide access service providing network comprising a 3GPP core network 25 UMTS, GPRS, WCDMA via the Iu-interface comprising converting/mapping service network access bearers transport packets of the wireless radio access network,
  - using the adapted 3GPP network transport protocols over the radio interface of the wireless radio access network.
  - 20. A method according to claim 19, characterized in

2 2 -11- 2005

6

that the adapted and reused transport protocols of the service providing network are tunneled using the Internet Protocol (IP) through an access station (AP, HBS) connected to the radio access network control node (RANCN).

5

25

- 21. A method according to claim 20, characterized in that it comprises the step of:
- providing the user station dynamically with access to various services over circuit and/or packet switched bearers of variable bandwidth, type and/or QoS.
  - 22. A method according to claim 21,

characterized in

- 15 that it comprises the step of:
  - setting up multiple access bearers simultaneously.
  - 23. A method according to any one of claims 19 or 22, characterized in
- 20 that it comprises the step of:
  - controlling in the RANCN, set-up and release of access bearers by adapting and reusing the RRC, RLC/MAC and protocols such that they can run over UDP/IP over the interface protocol between the user station and the access station.
  - 24. A method according to any one of claims 19-23, characterized in that it comprises the step of:
- of access bearers to the user station connected to the RANCN.
  - 25. A method according to any one of claims 19-24,

7

characterized in that the wireless radio access network is Bluetooth, the access station being a Home Base Station (HBS).

5 26. A method according to any one of claims 19-24, c h a r a c t e r i z e d i n that the wireless radio access network is WiMAX or a wireless radio access network implementing an OFDM based radio technology or a WLAN.